

2M

FPM
G R O U P


T.100

T.120

T.150

T.200

T.250

T.315

T.400


T.500

T.630

T.800

T.1000

T.1200



COPRESS

COMPANY
WITH QUALITY SYSTEM
CERTIFIED BY DNV
== ISO 9001 ==

SERIE DUE MONTANTI



2M100	S1A	-800x800-	120	40-120
	S1A	-1000X800-	140	40-120
	S2A	-1200X900-	180	30-90
2M150	S1A	-1000X800-	140	30-90
	S2A	-1200X800-	180	40-120
	S2A	-1400X1000-	250	30-90
	S2A	-1600X1200-	300	25-75
2M150+80	D1+4	-1000X1000-	350	14-22
2M200	S1A	-1000X800-	180	30-90
	S2A	-1200X800-	200	30-90
	S2A	-1400X1000-	300	20-60
	S2A	-1600X1200-	300	20-60
	S2L	-1400X1000-	350	15-30
	2M315	S1A	-1000X1000-	200
S2A		-1600X1200-	250	20-60
S2A		-2000X1400-	300	15-45
S2I		-2000X1400-	400	10-40
S2A		-2200X1400-	300	15-45
S2I		-2500X1400-	450	15-45
S2A		-3000X1500-	300	15-45
S2I		-3000X1500-	500	15-45
S2L		-2500X1450-	500	15-30
2M400		S1A	-1200X1000-	250
	S2A	-1400X1200-	250	25-75
	S2A	-1600X1200-	300	15-45
	S2I	-1600X1200-	400	12-36
	S2A	-2000X1400-	300	20-60
	S2I	-2000X1400-	400	12-36
	S2I	-2500X1200-	300	12-36
	S4I	-3000X1800-	500	12-25
	S2I	-3500X1500-	500	12-25
	S4I	-3800X1800-	500	12-25
	S2L	-2000X1400-	500	15-30
	S4L	-3500X2200-	600	10-20
	2M500	S2A	-1400X1200-	250
S2A		-1600X1200-	300	15-45
S2I		-1600X1200-	400	12-36
S2A		-2000X1400-	300	20-60
S2I		-2000X1400-	400	12-36
S2I		-2500X1200-	300	12-36
S4I		-3000X1800-	500	12-25
S2I		-3500X1500-	500	12-25
S4I		-3800X1800-	500	12-25
S2L		-2000X1400-	500	15-30
S4L		-3500X2200-	600	10-20
S4I		-4000X2000-	500	10-20
S4L		-4000X2000-	800	10-20






2M630	S2A	-1800X1200-	150	25-100
	S2I	-2500X1400-	300	20-60
	S2T	-2500X1200-	360	20-60
	S4L	-3200X2000-	800	10-20
	S4I	-3800X1600	300	20-40
2M400+250	D2+4	-2800X1800-	500	10-20
	D2L	-3500X2000-	800	10-20
2M800	S2A	-2000X1400-	150	25-100
	S2I	-2200X1400-	500	10-20
	S4I	-3500X1800-	600	10-20
	S4I	-4000X2200-	600	10-20
2M500+315	D2+4	-2800X1800-	850	12-20
2M1000	S2I	-2500X1600-	400	12-25
	S4I	-3200X1800-	500	12-25
	S2T	-4000X1500-	500	10-20
	S4L	-4000X2500-	800	10-20
2M630+400	D1+4I	-1800X1800-	850	12-20
	D2+4L	-3500X2300-	900	8-16
	D2+4L	-3500X2400-	900	8-16
	D2+4L	-4000X3300-	900	8-16
	D2+4L	-4000X2300-	900	8-16
2M800+500	D2+4L	-4000X2400-	1000	8-16
2M900+600	D4+4I	-4600X2500-	800	8-16



2M100 S 1 A -720x730- 180 - 40/180
■ ■ ■ ■ ■
 | | | | |
 forza | | | | |
 nominale | | | | |
 | | | | |
 modello | | | | |
 | | | | |
 A: albero eccentrico
 I: ingranaggio eccentrico
 L: link drive
 T: transfer
 | | | | |
 N° bielle
 | | | | |
 S: semplice effetto
 D: doppio effetto

2M800-4000X2400-
2M100 LINK DRIVE





PARTICOLARE SLITTA
2M300-1400X100





2M120-1200X800

2M800-4000X1300

CARRO PORTA STAMPI







COPRESS



2M120-1000X800
GRUPPO INGRANAGGIO CON ECCENTRICO







P.150-1P-1000-800-20



S2-400/2250X1400/VL

2M400-2000X1400



2MI50-1200X800 IN SERIE





